


# Vela™

za savremene enterijere



MODERNI DEKORATIVNI OKVIRI

 **legrand®**

[www.legrand.rs](http://www.legrand.rs)

# PRAVI OBLIK ZA VAŠE OKRUŽENJE




## TONDA



**Ljupkost bez granica.**

Okvir, nežan i elegantan, u isto vreme.  
Savršeno rešenje za otmenost i  
toplino u domu.

## BASIC



**Tonda, Quadra i Basic:**  
moderne linije okvira stvaraju Vaš dom.



# QUADRA


**Jednostavne linije, sveže i moderne.** Jednom rečju, fleksibilne. Savršeno prilagodljive svim ambijentima.

**Vela Basic** je nov okvir od termoplastike koji se kombinuje sa Vela mehanizmima, za postizanje jednostavnog i uvek aktuelnog rešenja.

# Vela Quadra

TERMOPLASTIKA

## Neutralni



SJAJNO BELA  
6 856 41



KAKAO  
6 858 05




SLONOVA KOST  
6 858 00



ANTRACIT  
6 826 16


## Metalizirani



SREBRO  
6 857 46



BAKAR  
6 857 71



BISER  
6 857 56

# Vela Quadra

TERMOPLASTIKA

## Sjajni



JARKO CRVENA  
6 856 51

## Sjajni



PLAVI KOBALT  
6 856 56



BISERNA VODA  
6 857 21



BISERNO ROZE  
6 856 96



EMAJLIRANA BELA  
6 857 16


## Dezen drveta



VENGE  
6 856 66

# Vela Basic

TERMOPLASTIKA



BASIC  
6 805 43

# Vela Tonda

TERMOPLASTIKA

## Neutralni



BELI  
6 856 01



ANTRACIT  
6 858 15

METAL

## Zemlja



JEČAM  
6 857 76



BRAON  
6 856 16

## Metal



BELI  
6 858 27



ČELIK  
6 858 19

## Strukturni



ALUMINIJUM  
6 858 39



BAKAR  
6 858 47

TERMOPLASTIKA

## Dezen drveta



TIKOVINA  
6 856 21

METAL

## Sjajni



HROM  
6 858 31



ZLATO  
6 858 35

## Satenski



ALUMINIJUM  
6 856 36



ZLATO  
6 856 31

## Vela™ prekidači



6 830 76



6 870 17



6 827 41



6 870 15

## Vela™ tasteri



6 827 45



6 870 06



6 827 46

Pakovanje	Kat.br.	Prekidači - 10 A - 250 V ~
		Mehanizmi se isporučuju sa maskama. Može biti osvetljen sa sijalicom kat.br. 6 830 26. Ukoliko želite da zamenite sa maskom sa simbolom, 2M ili 3M maskom, konsultujte stranu 10.
	1 modul	<b>Jednopolni prekidač</b>
10	6 830 76	Antracit
10	6 870 01	Sjajno bela
		<b>Naizmenični prekidač</b>
10	6 830 77	Antracit
10	6 870 03	Sjajno bela
		<b>Unakrsni prekidač</b>
10	6 830 78	Antracit
10	6 870 04	Sjajno bela
		<b>Prekidači - 16 A - 250 V ~</b>
	1 modul	Mehanizmi se isporučuju sa maskama.
		<b>Dvopolni prekidač sa ključem</b>
10	6 827 41	Antracit
10	6 870 19	Sjajno bela
		<b>Jednopolni naizmenični prekidač sa ključem</b>
		Može biti osvetljen sa sijalicom kat.br. 6 830 26
10	6 827 42	Antracit
10	6 870 20	Sjajno bela
		<b>Jednopolni prekidač bez maske</b>
10	6 827 29	Običan prekidač Za izbor maski za prekidač konsultujte stranu 10

Pakovanje	Kat.br.	Selektor prekidači
		Mehanizmi se isporučuju sa maskama.
	1 modul	<b>2 pozicije 1-0-2</b>
		Može biti osvetljen sa sijalicom kat.br. 6 830 26
1	6 827 44	Antracit
1	6 870 15	Sjajno bela
	2 modula	<b>4 pozicije, za kontrolu brzine</b>
		Za ventilatore, fan-coil jedinice, itd.
10	6 827 36	Antracit
10	6 870 17	Sjajno bela

Pakovanje	Kat.br.	Tasteri - 10 A - 250 V ~
		Mehanizmi se isporučuju sa maskama.
	1 modul	<b>Taster 1P - N/O kontakt</b>
		Može biti osvetljen sa sijalicom kat.br. 6 830 26
10	6 830 79	Antracit
10	6 870 05	Sjajno bela
		<b>Taster 1P - N/C kontakt</b>
		Može biti osvetljen sa sijalicom kat.br. 6 830 26
1	6 827 34	Antracit
1	6 870 06	Sjajno bela
		<b>Taster 2P - N/O kontakt</b>
		Može biti osvetljen sa sijalicom kat.br. 6 830 26
1	6 830 00	Antracit
1	6 870 09	Sjajno bela
		<b>Taster 2P - N/O kontakt sa ključem</b>
1	6 830 02	Antracit
1	6 870 21	Sjajno bela
		<b>Potezni taster</b>
1	6 827 46	Antracit
1	6 870 07	Sjajno bela
		<b>Taster sa narandžastim difuzorom - N/O kontakt</b>
1	6 830 01	Antracit
1	6 870 10	Sjajno bela
		<b>Taster sa providnim difuzorom - N/O kontakt</b>
1	6 827 50	Antracit
1	6 870 11	Sjajno bela
		<b>Taster sa crvenim difuzorom - N/O kontakt</b>
1	6 827 48	Antracit
1	6 870 12	Sjajno bela
		<b>Taster sa zelenim difuzorom - N/O kontakt</b>
1	6 827 49	Antracit
1	6 870 14	Sjajno bela

Pakovanje	Kat.br.	Tasteri sa N/O i N/C kontaktima - 10 A - 250 V ~
		Mehanizmi se isporučuju sa maskama.
	1 modul	<b>Taster 1P + 1P N/O kontakt sa funkcijom međublokade (taster za roletne)</b>
1	6 827 45	Antracit
1	6 870 18	Sjajno bela
		<b>Taster 1P + 1P N/O kontakt bez funkcije međublokade</b>
1	6 827 54	Antracit
1	6 870 08	Sjajno bela

Pakovanje	Kat.br.	Taster sa držačem natpisa 10 A - 250 V ~
	2 modula	
1	6 831 54	1P - N/O kontakt, providan držač natpisa



## Vela™ dimeri i detektori pokreta



6 873 21



6 827 21



6 873 27

Pakovanje	Kat.br.	Dimeri - 230 V ~
		<b>Kružni dimer</b> <b>60 - 500 W</b> Za inkadescentne i halogene sijalice 230 V Sa integrisanim osiguračem i funkcijom naizmjeničnog prekidača (ne štiti od preopterećenja)
1	6 827 21	1 modul Antracit
1	6 873 21	Sjajno bela
		<b>100 - 500 W</b> Za inkadescentne i halogene sijalice 230 V Bez osigurača
1	6 827 22	Antracit
1	6 873 22	Sjajno bela
		<b>Nosač za cilindrične osigurače</b> 5x20 mm ili 6.3x32 mm Max. 10 A, 250 V ~
1	6 829 10	1 modul Antracit
1	6 870 48	Sjajno bela
		<b>Tasterski dimer</b> Za inkadescentne i halogene sijalice 230 V i halogene sa feromagnetskim transformatorom Sa integrisanim osiguračem i funkcijom naizmjeničnog prekidača (ne štiti od preopterećenja)
		60 - 500 VA
1	6 827 23	2 modula Antracit
1	6 873 23	Sjajno bela

		<b>IR Detektori pokreta 230 V ~</b> Podesiva osetljivost IR detektora Podešavanje odloženog isključenja od 30 sekundi do 10 minuta
1	6 827 27	1 modul Antracit
1	6 873 27	Sjajno bela
		<b>Za potrošače do 2A (otpornički / induktivni)</b>
		<b>Sa relejnim izlazom 6A otpornički / 2A induktivno</b> Tasteri za forsirano uključenje / isključenje Mogućnost kontrole preko dodatnog tastera
1	6 827 28	2 modula Antracit
1	6 873 28	Sjajno bela

## Vela™ energetske utičnice



6 870 40



6 827 74



6 828 75



6 830 12



6 870 24

Pakovanje	Kat.br.	Utičnice
		<b>Nemački standard</b>
		2 modula 2P + E - 16 A sa zaštitom od slučajnog dodira
10	6 827 74	Antracit
10	6 870 40	Sjajno bela
10	6 828 75	Crvena
10	6 830 08	Narandžasta
10	6 830 09	Zelena
		<b>Italijanski standard</b>
		10 A
10	6 830 80	Antracit
10	6 870 13	Sjajno bela
		16 A
10	6 830 81	Antracit
10	6 870 80	Sjajno bela
		<b>Euro/US standard 2P</b>
		10/16 A
10	6 829 31	Antracit

		<b>Utičnice za brijanje</b> Sa izolacionim transformatorom Ulazni napon 230 V ~ 50/60 Hz Izlazni napon 115/230 V ~ 20 VA
1	6 830 12	3 modula Antracit
1	6 870 24	Sjajno bela

## Vela™ telefonske i računarske utičnice



6 827 87



6 870 82



6 830 38

### Pakovanje Kat.br. Telefonske utičnice

Pakovanje	Kat.br.	Telefonske utičnice
1	6 827 87	<b>RJ 11</b> Antracit
10	6 870 25	Sjajno bela

### Računarske utičnice

U saglasnosti sa standardima:  
ISO 11801 od. 2.0,  
EN 50 173,  
EIA /TIA 568  
Brza konekcija bez alata  
Kontakti su označeni dvostrukim  
kolornim kodom T 568 A - T 568 B i brojevima  
Mogućnost ponovnog povezivanja u slučaju greške

Pakovanje	Kat.br.	Računarske utičnice
10	6 830 33	<b>Kat. 5e</b> Antracit - UTP
10	6 870 82	Sjajno bela - UTP
10	6 830 36	<b>Kat. 6</b> Antracit - UTP
10	6 870 85	Sjajno bela - UTP
10	6 830 38	Antracit - STP
10	6 870 87	Sjajno bela - STP

## Vela™ TV utičnice



6 827 81



6 870 35



6 827 83



6 870 39

### Pakovanje Kat.br. TV utičnice

Pakovanje	Kat.br.	TV utičnice
		Za koaksijalni kabl
		<b>Jednostruka utičnica</b> Samo za individualne antenske sisteme Ø 9.5 mm - muški konektor
10	6 827 81	1 modul Antracit
10	6 870 30	Sjajno bela
		<b>Jednostruka utičnica sa kondenzatorom</b> Za individualne ili centralne antenske sisteme Oklopljeni konektorski ulaz Ø 9.5 mm - muški konektor
1	6 827 82	Antracit
1	6 870 33	Sjajno bela
		<b>Prolazna utičnica</b> Za centralne antenske ili satelitske sisteme Oklopljen konektorski ulaz Ø 9.5 mm - muški konektor
1	6 827 80	Antracit
1	6 870 31	Sjajno bela
		<b>Završna utičnica</b> Sa otpornikom 75 Ω
1	6 827 79	Antracit
1	6 870 32	Sjajno bela

### TV/RD/SAT utičnice

Pakovanje	Kat.br.	TV/RD/SAT utičnice
		<b>TV/RD/SAT utičnica</b> Jednostruko oklopljena koaksijalna utičnica za individualne antenske TV sisteme, uključujući i centralizovane satelitske i radio sisteme TV priključak - muški konektor Ø 9.5 mm Radio priključak - ženski konektor Ø 9.5 mm SAT priključak - ženski konektor Ø 9.5 mm
1	6 827 83	2 modula Antracit
1	6 870 34	Sjajno bela
		<b>TV/SAT utičnica</b> Kombinovani TV/SAT konektor za 1 koaksijalni kabl
1	6 830 13	Antracit
1	6 870 35	Sjajno bela

### TV/SAT utičnice

Pakovanje	Kat.br.	TV/SAT utičnice
		F konektor za koaksijalni kabl, 75 Ω
10	6 827 59	1 modul Antracit
10	6 870 36	Sjajno bela

### Utičnice za zvučnike

Pakovanje	Kat.br.	Utičnice za zvučnike
		<b>Utičnice za zvučnike</b>
1	6 826 84	1 modul Antracit
1	6 870 39	Sjajno bela

## Vela™ kontrola grejanja/hlađenja i zaštita



6 829 09



6 873 31

Pakovanje	Kat.br.	Kontrola grejanja/hlađenja
		<b>Elektronski termostat NO kontakt</b>
		Sa integrisanim izbornikom za letnji/zimski režim
		Opseg podešavanja temperature 5-30 °C
		2 LED diode za indicaciju radnog režima
		Relajni izlaz sa NO kontaktom
		2 A - 230 V ~
1	6 827 10	Antracit
1	6 873 10	Sjajno bela
		<b>Elektronski termostat NO/NC kontakti</b>
		Opseg podešavanja temperature 5-30 °C
		Relajni izlazi sa NO/NC kontaktima
		2 A - 230 V ~
1	6 830 30	Antracit
1	6 873 30	Sjajno bela
		<b>Programabilan elektronski dnevni/nedeljni termostat</b>
		Dnevni/nedeljni elektronski termostat za nedeljno programiranje
		Mogućnost povezivanja na spoljnu temperaturnu sondu i daljinsku kontrolu
		Relajni izlazi sa NO/NC kontaktima
1	6 830 31	Antracit
1	6 873 31	Sjajno bela

Pakovanje	Kat.br.	Automatski osigurači
		Dvopolni sa termo-magnetskom zaštitom na jednom polu (C kriva)
		Indikacija stanja
		Prekidna moć : 3000 A
		10 A - 230 V ~
1	6 829 05	Antracit
1	6 870 52	Sjajno bela
		16 A - 230 V ~
1	6 829 06	Antracit
1	6 870 54	Sjajno bela

Pakovanje	Kat.br.	FID sklopke sa automatskim osiguračem
		Sa termo-magnetskom zaštitom (C kriva)
		1P+N
		10 mA
		Indikacija stanja
		Prekidna moć: 3000 A
		10 A - 230 V ~
1	6 829 08	Antracit
1	6 870 56	Sjajno bela
		16 A - 230 V ~
1	6 829 09	Antracit
1	6 870 57	Sjajno bela

## Vela™ detekcija gasa



6 827 00



6 873 03



6 831 67

Pakovanje	Kat.br.	Sistem detekcije gasa
		Sa optičkom signalizacijom i zvučnim alarmom od 85 dB
		Unutrašnja samodijagnostika; centralna kontrola 12 V ~/±
		<b>Gas detektor za metan</b>
		2 modula
1	6 827 00	Antracit
1	6 873 00	Sjajno bela
		<b>LPG gas detektor za propan i butan</b>
1	6 827 01	Antracit
1	6 873 01	Sjajno bela
		<b>Signalni uređaj</b>
		Za gas detektore
		Optički/zvučni signal
		Relajni izlaz 1 kontakt 6 A otporničke ili 2 A induktivne potrošače
		2 modula
1	6 827 02	Antracit
1	6 873 02	Sjajno bela
		<b>Bezbednosni transformator</b>
		Ulaz 230 V ~ - 50/60 Hz
		Izlaz 12 V ~
		Snaga 4 VA
		2 modula
1	6 827 03	Antracit
1	6 873 03	Sjajno bela
		<b>Bezbednosni transformator na DIN šinu</b>
		3 modula
1	6 829 21	Ulaz 230 V ~ - 50/60 Hz
		Izlaz 12 V ~
		Snaga 6 VA
		<b>Elektro ventil protoka gasa</b>
		N/O ventil sa opcijom ručnog otvaranja
		Napajanje 12 V ~
		Snaga pri radu 3 VA
		Bez potrošnje pri mirovanju
		Maksimalni pritisak 500 mbar
		Radna temperatura : od -15 do + 60 °C
1	6 831 67	IP 65 - 3/4" na 1/2" gas reducir

## Vela™ svetlosna indikacija i zvučna signalizacija



6 829 17



6 870 46



6 827 94

Pakovanje	Kat.br.	<b>Protivpanične svetiljke - 230 V ~</b>
		<b>Protivpanična svetiljka</b>
		Automatsko uključenje Dopunjiva baterija; beli LED indikatori sa jakim osvetljajem Zamenjive Ni-MH baterije bez memorijskog efekta 2 sata autonomija Mala energetska potrošnja u stand-by modu (0.4 W)
	2 modula	
1	6 829 17	Antracit
1	6 873 17	Sjajno bela

	2 modula	<b>Svetiljka za osvetljenje puta</b>
1	6 827 26	Sa mikroprekidačem

		<b>Svetlosni indikatori</b>
		Isporučuju se bez sijalice
		<b>Jedan difuzor</b>
		Sa zamenjivim difuzorima (zeleni - crveni - providan)
	1 modul	
1	6 827 98	Antracit
1	6 870 46	Sjajno bela
		<b>Dva difuzora</b>
		Sa zamenjivim difuzorima (zeleni - crveni - providan)
	1 modul	
1	6 827 94	Antracit
1	6 870 47	Sjajno bela

		<b>Zujalice</b>
		12 V ~ - 5 VA 74 dB
	1 modul	
1	6 829 00	Antracit
1	6 870 44	Sjajno bela
		230 V ~ - 8 VA 75 dB
	1 modul	
1	6 829 01	Antracit
1	6 870 45	Sjajno bela

		<b>Zvona</b>
		<b>Elektronsko zvono</b>
		12 V ~/± 3 različite melodije Podešavanje jačine zvuka sa prednje strane
	2 modula	
1	6 827 25	Antracit
1	6 873 25	Sjajno bela
		<b>Mehaničko zvono</b>
		12 V ~ - 5 VA 80 db
	1 modul	
1	6 829 02	Antracit
1	6 870 42	Sjajno bela
		230 V ~ - 8 VA 80 dB
	1 modul	
1	6 829 03	Antracit
1	6 870 43	Sjajno bela

## Vela™ maske za mehanizme i dodatna oprema



6 829 13



6 870 67



6 827 61

Pakovanje	Kat.br.	<b>Maske mehanizama bez simbola</b>
		1 modul
		Za prekidače 16 A
100	6 829 13	Antracit
100	6 870 59	Sjajno bela
		2 modula
		Za prekidače i tastere
5	6 827 60	Antracit
5	6 870 67	Sjajno bela
		3 modula
5	6 827 61	Antracit
5	6 870 68	Sjajno bela

		<b>Maske mehanizama sa simbolom</b>
		1 modul
		Za prekidače i tastere
		<b>Sa simbolom zvona</b>
5	6 827 63	Antracit
5	6 870 61	Sjajno bela
		<b>Sa simbolom ključa</b>
5	6 827 62	Antracit
5	6 870 63	Sjajno bela
		<b>Sa simbolom lampe</b>
5	6 827 64	Antracit
5	6 870 62	Sjajno bela
		<b>Sa simbolom stepenica i lampe</b>
5	6 827 65	Antracit
5	6 870 64	Sjajno bela
		<b>Sa simbolom ventilacije</b>
5	6 830 19	Antracit
5	6 870 65	Sjajno bela
		<b>Sa simbolom ON-OFF</b>
1	6 830 18	Antracit
5	6 870 60	Sjajno bela

		<b>Dodatna oprema</b>
		<b>Sijalica</b>
1	6 830 26	230 V - narandžaste boje
		1 modul
		<b>Slepa maska</b>
50	6 827 69	Antracit
50	6 870 50	Sjajno bela
		1/2 modula
10	6 830 17	Antracit
10	6 870 58	Sjajno bela
		<b>Uvod kabla</b>
		Sa ulazom od Ø 9 mm
10	6 827 70	Antracit
10	6 870 53	Sjajno bela

## Vela™ nosači mehanizama, ugradne dozne

## Vela™ IP55 zaštita



PB 503



0 892 39



6 806 33



6 806 12

Pakovanje	Kat.br.	Nosači mehanizama	
10	0 728 42		Za 2 modula Montaža na zavrtnj ili sa žabicama u doznu Ø 60 mm
100	0 728 43		Za 3 modula Montaža na zavrtnj
10	0 728 44		Za 4 modula Montaža na zavrtnj
10	0 728 46		Za 6 modula Montaža na zavrtnj
1	6 826 71		Za 6 + 6 modula Montaža na zavrtnj

		Ugradne dozne	
		<b>Dozna za ugradnju u malter</b>	
250	0 313 01	Za 2 modula, dim. 71 x 71 mm, dubina 40 mm	
15	0 892 39	Za 3 modula, dim. 106 x 71 mm, dubina 50 mm	
5	0 892 49	Za 4 modula, dim. 130 x 71 mm, dubina 52 mm	
50	0 892 50	Za 6 modula, dim. 186 x 71 mm, dubina 52 mm	
1	6 826 70	Za 6+6 modula	
		<b>Dozna za ugradnju u gips</b>	
	PB 502	Za 2 modula, Ø 68 mm, dubina 51 mm	
	PB 503	Za 3 modula, dim. 109 x 68 mm, dubina 51 mm	
	PB 504	Za 4 modula, dim. 131,5 x 68 mm, dubina 51 mm	
	PB 506	Za 6 modula, dim. 182 x 68 mm, dubina 51 mm	

Pakovanje	Kat.br.	IP 55 okviri - montaža na doznu	
		Postavlja se bez nosača, direktno na doznu sa membranom koja omogućava funkcionisanje prekidača bez otvaranja	
		<b>Za 3 modula</b>	
20	6 806 32	Bela	
20	6 806 33	Siva	
		<b>Za 4 modula</b>	
1	6 806 34	Bela	
1	6 806 35	Siva	
		<b>IP 55 nadgradne kutije</b>	
		Montaža direktno na zid	
10	6 806 11	1 modul	
10	6 806 12	2 modula	
1	6 806 13	3 modula	
5	6 806 14	4 modula	
5	6 806 19	8 modula	

Ugradna dozna

Nosač mehanizama

Broj modula 6 + 6

Okviri



6 826 70



6 826 71



6 826 73



6 870 72

## Vela Quadra

tabela izbora dozni, nosača i okvira

Ugradne dozne za malter	 0 313 01	 0 892 39	 0 892 49	 0 892 50
Ugradne dozne za gips	 PB 502	 PB 503	 PB 504	 PB 506
Nosači mehanizama	 0 728 42	 0 728 43	 0 728 44	 0 728 46
Broj modula	 			

### NEUTRALNI

Antracit		/	6 826 01	6 826 16	6 826 31	6 826 46
Sjajno bela		/	6 856 40	6 856 41	6 856 42	6 856 43
Slonova kost		/	6 857 99	6 858 00	6 858 01	6 858 02
Kakao		/	6 858 04	6 858 05	6 858 06	6 858 07



### DEZEN DRVETA

Venge		/	6 856 65	6 856 66	6 856 67	6 856 68
-------	---	---	----------	----------	----------	----------

### SJAJNI

Jarko crvena		/	6 856 50	6 856 51	6 856 52	6 856 53
Plavi kobalt		/	6 856 55	6 856 56	6 856 57	6 856 58
Biserno roze		/	6 856 95	6 856 96	6 856 97	6 856 98
Emajlirana bela		/	6 857 15	6 857 16	6 857 17	6 857 18
Biserna voda		/	6 857 20	6 857 21	6 857 22	6 857 23

### METALIZIRANI

Srebro		/	6 857 45	6 857 46	6 857 47	6 857 48
Biser		/	6 857 55	6 857 56	6 857 57	6 857 58
Bakar		/	6 857 70	6 857 71	6 857 72	6 857 73






























## Vela Basic

tabela izbora dozni, nosača i okvira

Basic		6 805 30	6 805 31	6 805 43	6 805 44	6 805 49
-------	---	----------	----------	----------	----------	----------

## Vela Tonda

### tabela izbora dozni, nosača i okvira

Ugradne dozne za malter	 0 313 01	 0 892 39	 0 892 49	 0 892 50	
Ugradne dozne za gips	 PB 502	 PB 503	 PB 504	 PB 506	
Nosači mehanizama	 0 728 42	 0 728 43	 0 728 44	 0 728 46	
Broj modula					
<b>NEUTRALNI</b>					
TERMOPLASTIKA	Beli 	6 856 00	6 856 01	6 856 02	6 856 03
	Antracit 	6 858 14	6 858 15	6 858 16	6 858 17
<b>DEZEN DRVETA</b>					
Tikovina 	6 856 20	6 856 21	6 856 22	6 856 23	
<b>ZEMLJA</b>					
Ječam 	6 857 75	6 857 76	6 857 77	6 857 82	
Braon 	6 856 15	6 856 16	6 856 17	6 856 18	
<b>METAL</b>					
Čelik 	6 858 18	6 858 19	6 858 20	6 858 21	
Beli 	6 858 26	6 858 27	6 858 28	6 858 29	
<b>SJAJNI</b>					
Hrom 	6 858 30	6 858 31	6 858 32	6 858 33	
Zlato 	6 858 34	6 858 35	6 858 36	6 858 37	
<b>SATEN</b>					
Zlato 	6 856 30	6 856 31	6 856 32	6 856 33	
Aluminijum 	6 856 35	6 856 36	6 856 37	6 856 38	
<b>STRUKTURNI</b>					
Aluminijum 	6 858 38	6 858 39	6 858 40	6 858 41	
Bakar 	6 858 46	6 858 47	6 858 48	6 858 49	

- » Proizvodnja u preko 70 zemalja sveta
- » Prisustvo u 180 država
- » 35000 zaposlenih
- » Za istraživanje i razvoj izdvojeno 5% od godišnjeg obrta
- » Preko 4000 aktivnih патената



**Vaš distributer:**



**Legrand Electric d.o.o.**

Dorđa Vajferta 36  
11000 Beograd

Tel: +381 11 3835 060

+381 11 3835 200

Fax: +381 11 3442 887

bureau.belgrade@legrandelectric.com  
www.legrand.rs